



225 S Camburn St.
P.O. Box 449
Stanton, MI 48888
989-831-4440

Sidewalk Installation - Request for Bids

The City of Stanton is now accepting bids for sidewalk removal and replacement. Work is to begin after July 1, 2026, and commence by October 31, 2026.

Project Specifications:

- Existing concrete and sod to be removed by the contractor. Disposal site provided by the city.
- Contractor to provide fill-sand where necessary. All fill sand will be machine compacted.
- Contractor to avoid driving on residential/business lawns. Any damage caused by the contractors work to lawns must be repaired by the contractor.
- Contractor will be responsible for restoration along the edges of the sidewalk after forms are removed.
- Joints will be every 4 to 5 feet to match existing sidewalk. Control joints may be tooled in.
- Concrete mix to be a minimum of six sack-mix with limestone.
- Contractor to provide and set forms, hand excavate to establish grade and pour concrete.
- Contractor will finish sidewalks with rounded edges and a light broom finish.
- Contractor will apply a curing agent to the surface of concrete following manufacturer's guidelines.
- Contractor provides security of wet concrete to prevent vandalism or rain damage.
- Contractor will follow all current ADA Accessibility Guidelines for sidewalks. Contractor will install detectable warning plates where required (plates are provided by the city).
- Minimum of ½ inch thick expansion joint material will be used where concrete sidewalks meet with other concrete.
- Contractor shall provide any necessary traffic control, signage, or barricades.
- Contractor will provide opportunity for Public Works to inspect forms at project sites prior to pouring.
- Project sites will be located in various locations, pours may be as small as four linear feet.
- Mixer trucks may “wash out” at a site provided by Public Works.
- Concrete thickness requirements are as follows:
 - Sidewalks shall be 4” thick
 - 6” thick through residential driveways/approaches
 - 8” thick through commercial driveways/approaches

Bids must include the following:

- Price per square foot to **remove and install replacement** sidewalk in 4”, 6”, and 8” thickness (please use attached form)
- Price per square foot to **install new** sidewalk in 4”, 6”, and 8” thickness (please use attached form)
- Price to install detectable warning plates (plates provided by the city)
- Proof of liability insurance
- Proof of Workers’ Compensation Insurance, or a written statement indicating the bidder does not carry such insurance
- Completed W-9 form

The city reserves the right to accept or reject any or all bids.

Bids must be submitted by May 22, 2026, at 4 PM.

Submit by mail to:

City of Stanton

P.O. Box 449

Stanton, MI 48888

OR submit by email to rcoffey@stantononline.com

Please contact James Blum, Director of Public Works with any questions (989) 831-9332.

The city reserves the right to accept or reject any or all bids.

Sidewalk Cost Estimate

Please complete this form and attach with your bid.

Total cost to install detectable warning surface plate (plate provided by the city)-

\$_____ per plate

Total cost to remove existing and install replacement sidewalk-

4" thickness \$_____ per square foot

6" thickness \$_____ per square foot

8" thickness \$_____ per square foot

Total cost to install new sidewalk (no existing sidewalk)-

4" thickness \$_____ per square foot

6" thickness \$_____ per square foot

8" thickness \$_____ per square foot

If there are any additional costs, please list them below with a description of the cost.

Company Name: _____

Contact Person: _____

Phone number: _____

Email: _____

The city reserves the right to accept or reject any or all bids.